

Table 3C.1 Reliance of 2,4-D Use on Corn: Total Indiana Acres Planted (5,600,000)

(see notes at end of table)

Year	Percent Acres Treated	Rate of Application (lbs/acre)	Number of Applications	Rate per Crop Year (lbs/acre)	Pounds Applied
2016	13.0	0.723	1.0	0.735	534,912
2015	13.0	0.723	1.0	0.735	539,688
2014	13.0	0.723	1.0	0.735	563,568
2013	11.3	0.265	0.9	0.601	405,540
2012	9.5	0.309	0.9	0.502	298,125
2011	7.8	0.375	0.9	0.462	211,161
2010	6.0	0.479	1.1	0.530	187,620
2009	5.6	0.469	1.1	0.510	159,936
2008	5.2	0.459	1.1	0.489	144,940
2007	4.8	0.448	1.0	0.469	146,328
2006	4.4	0.438	1.0	0.448	108,416
2005	4.0	0.428	1.0	0.428	101,008
2004	6.5	0.114	0.5	0.180	66,719
2003	9.0	0.330	1.0	0.330	166,320
2001	9.0	0.400	1.0	0.400	208,800
2000	13.0	0.380	1.0	0.410	303,810
1999	6.0	0.340	1.0	0.340	118,320
1998	7.0	0.420	1.0	0.420	170,520
1997	11.0	0.390	1.0	0.390	253,110
1996	13.0	0.410	1.0	0.410	298,480
1995	12.0	0.350	1.0	0.350	226,800
1994	15.0	0.360	1.1	0.380	347,700
1993	14.0	0.550	1.0	0.560	435,120
1992	6.0	0.430	1.1	0.460	168,360
1991	4.0	0.650	1.0	0.650	148,200
1990	10.0	0.400	1.2	0.470	263,200

Notes:

1. 2,4-D is sold in more than one chemical form, and surveyed separately by the USDA's National Agricultural Statistics Service (NASS). Data on percent acres treated, number of acres treated, and pounds applied are the sum across all forms of the chemical. Rates of application and number of applications are averages across each form of the pesticide, weighted by shares of total acres treated.

2. For years not surveyed by NASS, values are interpolated between the nearest two years with reported values. Values between the last survey and 2016 are extrapolated assuming no change in rate of application, number of applications, or percent acres treated.

3. Each year when NASS surveys a crop, the agency strives to include 85% to 90% of acres planted. NASS surveyed acres at the national level are lower than total acres planted. For this table, NASS surveyed acres were 5,600,000.