

Table 3C.1 Reliance of 2,4-D Use on Corn: Total Michigan Acres Planted (2,500,000)
(see notes at end of table)

Year	Percent Acres Treated	Rate of Application (lbs/acre)	Number of Applications	Rate per Crop Year (lbs/acre)	Pounds Applied
2016	4.0	0.665	1.0	0.665	66,500
2015	4.0	0.665	1.0	0.665	62,510
2014	4.0	0.665	1.0	0.665	67,830
2013	3.0	0.499	0.8	0.499	38,922
2012	2.0	0.333	0.5	0.333	17,649
2011	1.0	0.166	0.3	0.166	4,150
2009	0.6	0.079	0.2	0.096	1,354
2008	1.2	0.159	0.5	0.192	5,539
2007	1.8	0.239	0.7	0.288	13,722
2006	2.4	0.319	1.0	0.384	20,275
2005	3.0	0.398	1.2	0.480	32,400
2004	5.5	0.167	0.5	0.251	30,371
2003	8.0	0.460	1.0	0.510	91,800
2002	9.0	0.490	1.0	0.515	104,288
2001	10.0	0.520	1.0	0.520	114,400
2000	9.0	0.440	1.0	0.440	87,120
1999	5.0	0.420	1.2	0.520	57,200
1998	26.0	0.210	1.0	0.210	125,580
1997	15.0	0.210	1.0	0.210	78,750
1996	10.0	0.360	1.0	0.360	93,600
1995	17.0	0.290	1.0	0.290	120,785
1994	12.0	0.350	1.1	0.380	114,000
1993	10.0	0.430	1.0	0.430	103,200
1992	9.0	0.320	1.0	0.320	77,760
1991	10.0	0.390	1.0	0.400	104,000

- Notes:**
1. 2,4-D is sold in more than one chemical form, and surveyed separately by the USDA's National Agricultural Statistics Service (NASS). Data on percent acres treated, number of acres treated, and pounds applied are the sum across all forms of the chemical. Rates of application and number of applications are averages across each form of the pesticide, weighted by shares of total acres treated.
 2. For years not surveyed by NASS, values are interpolated between the nearest two years with reported values. Values between the last survey and 2016 are extrapolated assuming no change in rate of application, number of applications, or percent acres treated.
 3. Each year when NASS surveys a crop, the agency strives to include 85% to 90% of acres planted. NASS surveyed acres at the national level are lower than total acres planted. For this table, NASS surveyed acres were 2,500,000.