

Table 3C.2 Reliance of 2,4-D Use on Soybeans: Total Nebraska Acres Planted (5,200,000)
(see notes at end of table)

Year	Percent Acres Treated	Rate of Application (lbs/acre)	Number of Applications	Rate per Crop Year (lbs/acre)	Pounds Applied
2016	36.0	0.517	1.0	0.517	967,044
2015	36.0	0.517	1.0	0.517	985,641
2014	31.7	0.519	1.0	0.522	893,368
2013	27.3	0.518	1.0	0.524	687,543
2012	23.0	0.512	1.0	0.520	603,677
2011	21.0	0.481	1.0	0.487	501,370
2010	19.0	0.449	1.0	0.454	444,615
2009	17.0	0.419	1.0	0.423	344,976
2008	15.0	0.388	1.0	0.391	287,419
2007	13.0	0.358	1.0	0.359	180,734
2006	11.0	0.329	1.0	0.329	182,659
2005	5.5	0.164	0.5	0.164	42,465
1998	7.0	0.420	1.0	0.420	111,720
1996	3.0	0.260	1.0	0.260	23,790
1995	7.0	0.300	1.0	0.300	65,100
1994	6.0	0.470	1.0	0.470	81,780

- Notes:**
1. 2,4-D is sold in more than one chemical form, and surveyed separately by the USDA's National Agricultural Statistics Service (NASS). Data on percent acres treated, number of acres treated, and pounds applied are the sum across all forms of the chemical. Rates of application and number of applications are averages across each form of the pesticide, weighted by shares of total acres treated.
 2. For years not surveyed by NASS, values are interpolated between the nearest two years with reported values. Values between the last survey and 2016 are extrapolated assuming no change in rate of application, number of applications, or percent acres treated.
 3. Each year when NASS surveys a crop, the agency strives to include 85% to 90% of acres planted. NASS surveyed acres at the national level are lower than total acres planted. For this table, NASS surveyed acres were 5,200,000.