

Table 3C.8 Reliance of S-metolachlor Use on Corn: Total Iowa Acres Planted (13,900,000)
(see notes at end of table)

Year	Percent Acres Treated	Rate of Application (lbs/acre)	Number of Applications	Rate per Crop Year (lbs/acre)	Pounds Applied
2016	18.0	1.066	1.1	1.199	2,999,898
2015	18.0	1.066	1.1	1.199	2,913,570
2014	18.0	1.066	1.1	1.199	2,956,734
2013	18.3	1.030	1.1	1.129	2,802,178
2012	18.5	0.993	1.1	1.060	2,784,620
2011	18.8	0.957	1.0	0.990	2,617,313
2010	19.0	0.920	1.0	0.920	2,342,320
2009	19.6	1.040	1.0	1.042	2,777,555
2008	20.2	1.160	1.0	1.164	3,127,202
2007	20.8	1.280	1.0	1.286	3,798,330
2006	21.4	1.400	1.0	1.408	3,796,531
2005	22.0	1.520	1.0	1.530	4,308,480
2004	19.5	1.505	1.0	1.510	3,739,515
2003	17.0	1.490	1.0	1.490	3,115,590
2002	12.0	1.640	1.0	1.640	2,400,960
2001	14.0	1.700	1.0	1.700	2,784,600
2000	3.0	1.440	1.2	1.750	645,750

- Notes:**
1. For years not surveyed by NASS, values are interpolated between the nearest two years with reported values. Values between the last survey and 2016 are extrapolated assuming no change in rate of application, number of applications, or percent acres treated.
 2. Each year when NASS surveys a crop, the agency strives to include 85% to 90% of acres planted. NASS surveyed acres at the national level are lower than total acres planted. For this table, NASS surveyed acres were 13,900,000.