

Table 3C.8 Reliance of S-metolachlor Use on Corn: Total Minnesota Acres Planted (8,500,000)
 (see notes at end of table)

Year	Percent Acres Treated	Rate of Application (lbs/acre)	Number of Applications	Rate per Crop Year (lbs/acre)	Pounds Applied
2016	13.0	1.085	1.1	1.153	1,274,065
2015	13.0	1.085	1.1	1.153	1,214,109
2014	13.0	1.085	1.1	1.153	1,229,098
2013	11.8	1.087	1.1	1.171	1,183,296
2012	10.5	1.089	1.1	1.190	1,093,313
2011	9.3	1.090	1.1	1.209	905,843
2010	8.0	1.092	1.1	1.227	755,832
2009	8.0	1.106	1.1	1.214	738,112
2008	8.0	1.121	1.1	1.202	740,432
2007	8.0	1.135	1.0	1.189	799,008
2006	8.0	1.150	1.0	1.177	687,368
2005	8.0	1.164	1.0	1.164	679,776
2004	10.0	1.547	1.0	1.547	1,160,250
2003	12.0	1.930	1.0	1.930	1,667,520
2002	6.0	1.780	1.0	1.780	768,960
2001	8.0	1.720	1.0	1.720	935,680
2000	6.0	1.510	1.0	1.510	652,320

- Notes:**
1. For years not surveyed by NASS, values are interpolated between the nearest two years with reported values. Values between the last survey and 2016 are extrapolated assuming no change in rate of application, number of applications, or percent acres treated.
 2. Each year when NASS surveys a crop, the agency strives to include 85% to 90% of acres planted. NASS surveyed acres at the national level are lower than total acres planted. For this table, NASS surveyed acres were 8,500,000.