

**Table 3C.8 Reliance of S-metolachlor Use on Corn: Total Wisconsin Acres Planted (4,100,000)**  
 (see notes at end of table)

Year	Percent Acres Treated	Rate of Application (lbs/acre)	Number of Applications	Rate per Crop Year (lbs/acre)	Pounds Applied
2016	28.0	1.237	1.0	1.263	1,449,924
2015	28.0	1.237	1.0	1.263	1,414,560
2014	28.0	1.237	1.0	1.263	1,414,560
2013	29.0	1.318	1.0	1.337	1,589,693
2012	30.0	1.398	1.0	1.411	1,841,355
2011	31.0	1.478	1.0	1.485	1,910,453
2010	32.0	1.559	1.0	1.559	1,945,632
2009	31.6	1.542	1.0	1.542	1,875,997
2008	31.2	1.525	1.0	1.525	1,808,040
2007	30.8	1.507	1.0	1.507	1,879,832
2006	30.4	1.490	1.0	1.490	1,653,304
2005	30.0	1.473	1.0	1.473	1,679,220
2004	29.0	1.512	1.0	1.512	1,578,528
2003	28.0	1.550	1.0	1.550	1,627,500
2002	10.0	1.600	1.0	1.600	584,000
2001	18.0	1.280	1.0	1.280	783,360
2000	15.0	1.180	1.0	1.190	624,750

- Notes:**
1. For years not surveyed by NASS, values are interpolated between the nearest two years with reported values. Values between the last survey and 2016 are extrapolated assuming no change in rate of application, number of applications, or percent acres treated.
  2. Each year when NASS surveys a crop, the agency strives to include 85% to 90% of acres planted. NASS surveyed acres at the national level are lower than total acres planted. For this table, NASS surveyed acres were 4,100,000.