

Table 3E.2. Overall Use Across Herbicides Applied on Total Wisconsin Soybeans Acres Planted (see notes)

Year	Number of A.I.'s per Acre	Pounds per Acre	Acre Treatments per Acre	Total Pounds Applied
2016	1.820	1.5037	2.232	2,947,348
2015	1.820	1.5075	2.232	2,834,042
2014	1.843	1.4822	2.150	2,667,984
2013	1.867	1.4562	2.122	2,300,865
2012	1.890	1.4110	2.148	2,412,846
2011	1.810	1.2844	1.934	2,080,790
2010	1.730	1.1946	1.775	1,959,205
2009	1.650	1.1468	1.671	1,869,290
2008	1.570	1.1395	1.622	1,834,597
2007	1.490	1.1849	1.627	1,658,906
2006	1.410	1.2417	1.687	2,048,745
2005	1.350	0.9375	1.357	1,509,413
2004	1.290	0.7621	1.195	1,219,389
2003	1.230	0.7124	1.200	1,225,391
2002	1.170	0.8046	1.373	1,239,012
2001	1.145	0.7774	1.238	1,243,820
2000	1.120	0.7799	1.178	1,208,840
1999	1.300	0.7731	1.178	1,043,745
1998	1.480	0.8419	1.359	968,193
1997	1.660	0.9720	1.723	1,010,928
1996	1.770	0.8237	1.800	757,849
1995	1.625	0.9451	1.476	784,441
1994	1.480	1.0522	1.222	904,893
1993	1.335	0.4761	1.038	290,442
1992	1.190	0.4882	0.922	366,165
1991	1.045	0.5291	0.876	301,593
1990	0.900	0.5994	0.900	263,736

Notes:

1. NASS reports only pounds applied for some pesticide-crop combinations when: (a) the pesticide is applied on less than 1% of acres, (b) a trivial amount of a low-dose active ingredient is applied, or (c) when only one or a few producers reported use of the pesticide, raising confidentiality concerns. In such cases, we include the reported pounds applied in calculating total pounds applied by type of pesticide, and count one or more of these as one active ingredient within the respective pesticide type, in the column "Number of A.I.'s Applied".