

**Table 3E.2. Overall Use Across Herbicides Applied on Total Ohio Soybeans Acres Planted Over Time (see notes)**

| Year  | Number of<br>A.I.'s per<br>Acre | Pounds<br>per Acre | Acre<br>Treatments<br>per Acre | Total<br>Pounds<br>Applied |
|-------|---------------------------------|--------------------|--------------------------------|----------------------------|
| 2016  | 2.340                           | 1.7738             | 2.739                          | 8,603,144                  |
| 2015* | 2.340                           | 1.7753             | 2.739                          | 8,432,440                  |
| 2014  | 2.233                           | 1.7591             | 2.682                          | 8,267,697                  |
| 2013  | 2.127                           | 1.7458             | 2.626                          | 7,856,296                  |
| 2012* | 2.020                           | 1.7278             | 2.572                          | 7,947,976                  |
| 2011  | 1.998                           | 1.6841             | 2.553                          | 7,662,479                  |
| 2010  | 1.977                           | 1.6399             | 2.534                          | 7,543,327                  |
| 2009  | 1.955                           | 1.5976             | 2.515                          | 7,269,157                  |
| 2008  | 1.933                           | 1.5559             | 2.495                          | 7,001,571                  |
| 2007  | 1.912                           | 1.5186             | 2.477                          | 6,454,157                  |
| 2006* | 1.890                           | 1.4705             | 2.458                          | 6,837,814                  |
| 2005* | 1.775                           | 1.3060             | 2.237                          | 5,877,000                  |
| 2004* | 1.660                           | 1.2635             | 2.023                          | 5,622,540                  |
| 2003  | 1.535                           | 1.3044             | 1.989                          | 5,609,039                  |
| 2002* | 1.410                           | 1.3371             | 1.959                          | 6,351,050                  |
| 2001* | 1.280                           | 0.9149             | 1.430                          | 4,208,660                  |
| 2000* | 1.570                           | 1.0235             | 1.893                          | 4,554,425                  |
| 1999* | 2.020                           | 1.0269             | 2.084                          | 4,723,832                  |
| 1998* | 2.410                           | 1.2512             | 2.462                          | 5,505,400                  |
| 1997* | 2.290                           | 1.1692             | 2.620                          | 5,085,956                  |
| 1996* | 2.630                           | 1.2773             | 2.630                          | 5,747,660                  |
| 1995* | 2.820                           | 1.4679             | 2.976                          | 5,944,889                  |
| 1994* | 2.670                           | 1.5749             | 2.873                          | 6,299,600                  |
| 1993* | 2.690                           | 1.4887             | 2.798                          | 6,178,188                  |
| 1992* | 2.290                           | 1.3293             | 2.419                          | 4,984,950                  |
| 1991* | 2.180                           | 1.5492             | 2.280                          | 5,887,036                  |
| 1990* | 1.840                           | 1.5063             | 1.896                          | 5,272,050                  |

**Notes:**

1. NASS reports only pounds applied for some pesticide-crop combinations when: (a) the pesticide is applied on less than 1% of acres, (b) a trivial amount of a low-dose active ingredient is applied, or (c) when only one or a few producers reported use of the pesticide, raising confidentiality concerns. In such cases, we include the reported pounds applied in calculating total pounds applied by type of pesticide, and count one or more of these as one active ingredient within the respective pesticide type, in the column "Number of A.I.'s Applied".

\* Denotes the years that were surveyed by USDA's National Agricultural Statistics Service (NASS).