

Table 3E.2. Overall Use Across Herbicides Applied on Total Wisconsin Soybeans Acres Planted Over Time (see notes)

Year	Number of A.I.'s per Acre	Pounds per Acre	Acre Treatments per Acre	Total Pounds Applied
2016	1.820	1.5037	2.232	2,947,348
2015*	1.820	1.5075	2.232	2,834,042
2014	1.843	1.4781	2.211	2,660,517
2013	1.867	1.4520	2.183	2,294,148
2012*	1.890	1.4110	2.148	2,412,846
2011	1.810	1.3839	2.075	2,241,893
2010	1.730	1.3546	2.000	2,221,604
2009	1.650	1.3269	1.924	2,162,918
2008	1.570	1.2989	1.846	2,091,278
2007	1.490	1.2851	1.767	1,799,118
2006*	1.410	1.2417	1.687	2,048,745
2005	1.350	1.1271	1.608	1,814,693
2004	1.290	1.0152	1.529	1,624,389
2003	1.230	0.9023	1.451	1,551,929
2002*	1.170	0.8046	1.373	1,239,012
2001	1.145	0.7889	1.270	1,262,204
2000*	1.120	0.7799	1.178	1,208,840
1999	1.300	0.8503	1.416	1,147,855
1998	1.480	0.9193	1.597	1,057,176
1997*	1.660	0.9720	1.723	1,010,928
1996*	1.770	0.8237	1.800	757,849
1995	1.625	0.8023	1.650	665,938
1994	1.480	0.7535	1.500	648,011
1993	1.335	0.7589	1.350	462,900
1992	1.190	0.6852	1.200	513,935
1991	1.045	0.6548	1.050	373,211
1990*	0.900	0.5994	0.900	263,736

Notes:

1. NASS reports only pounds applied for some pesticide-crop combinations when: (a) the pesticide is applied on less than 1% of acres, (b) a trivial amount of a low-dose active ingredient is applied, or (c) when only one or a few producers reported use of the pesticide, raising confidentiality concerns. In such cases, we include the reported pounds applied in calculating total pounds applied by type of pesticide, and count one or more of these as one active ingredient within the respective pesticide type, in the column "Number of A.I.'s Applied".

* Denotes the years that were surveyed by USDA's National Agricultural Statistics Service (NASS).