

Table 3C.1 Reliance of 2,4-D Use on Corn: Total Wisconsin Acres Planted (3,650,000)
 (see notes at end of table)

Year	Percent Acres Treated	Rate of Application (lbs/acre)	Number of Applications	Rate per Crop Year (lbs/acre)	Pounds Applied
2002	6.0	0.390	1.0	0.390	85,410
2001	6.0	0.500	1.0	0.500	102,000
1999	2.0	0.530	1.0	0.530	38,160
1998	2.0	0.340	1.0	0.340	25,160
1996	2.0	0.440	1.0	0.440	34,320
1994	7.0	0.420	1.1	0.460	120,750
1993	5.0	0.460	1.0	0.460	78,200
1992	3.0	0.450	1.0	0.450	52,650

- Notes:**
1. 2,4-D is sold in more than one chemical form, and surveyed separately by the USDA’s National Agricultural Statistics Service (NASS). Data on percent acres treated, number of acres treated, and pounds applied are the sum across all forms of the chemical. Rates of application and number of applications are averages across each form of the pesticide, weighted by shares of total acres treated.
 2. For years not surveyed by NASS, values are interpolated between the nearest two years with reported values. Values between the last survey and 2016 are extrapolated assuming no change in rate of application, number of applications, or percent acres treated.
 3. Each year when NASS surveys a crop, the agency strives to include 85% to 90% of acres planted. NASS surveyed acres at the national level are lower than total acres planted. For this table, NASS surveyed acres were 3,650,000.